

NOTES:

- 1) MEDIAN TO BE NATIVE MATERIAL, VEGETATION, GRASS, GROUND COVER, OR SHRUBS NOT TO EXCEED 24 INCHES MATURE MAINTAINED HEIGHT ABOVE TOP OF CURB. EXISTING NATIVE MATERIAL MUST NOT CONTAIN COBBLES OR OTHER MATERIAL WHICH HAVE A DIAMETER IN EXCESS OF 3 INCHES.
- 2) STORM DRAIN INFILTRATION SYSTEMS SHALL NOT BE PERMITTED UNDER THE MEDIAN.
- 3) A WIDENED THROUGH TRAVEL LANE OF 18 FEET WIDE SHALL BE USED WHEN A TWO LANE ROADWAY INCLUDES A RAISED MEDIAN.


(NOT TO SCALE)



Pierce County

Department of Public Works and Utilities
 Transportation Services
 2401 South 35th Street Room 150
 Tacoma, Washington 98409-7485

DATE	REVISIONS	APPROVED	DRAWN
02-22-99	ADDED NOTE 3	<i>[Signature]</i>	KDZ
07-24-98	REVISED HEIGHTS, ADDED NOTE 2	<i>[Signature]</i>	KDZ



THOMAS G. BALLARD, P.E.
COUNTY ENGINEER

MAY 1, 1997

Office of County Engineer

EXPIRES: 01/14/01

MEDIAN

PC.F9