

**Index**

**A**

Abbreviated Plans: I; 3-7, 3-30, App. I-A  
    contents: App. I-A; A-3  
    driveway runoff: App. I-A; A-11  
    erosion and sediment control: App. I-A; A-5  
    minimum requirements: App. I-A; A-1  
    plan sheet: App. I-A; A-4  
    roof runoff control: App. I-A; A-8, A-10  
    soils evaluation: App. I-A; A-11  
    stub-outs: App. I-A; A-9  
    submittal requirements: App. I-A; A-3  
    thresholds: I; 3-4  
Alternative paving surfaces: VI; 3-47  
    design: VI; 3-48  
    installation: VI; 3-53  
    modeling: VI; 3-48  
    underdrain: VI; 3-49  
    water quality treatment: VI; 3-49  
Appeals: I; 1-10  
Applicability (of Manual requirements): I; 1-9  
    Severability: I; 1-10  
    Penalties: I; 1-10  
    Enforcement: I; 1-10  
    Appeals: I; 1-10  
Automobile washing (source control): IV; 3-1

**B**

Basic filter strip: V; 8-27  
Basic treatment: V; 2-8, 3-7  
    BMPs: V; 3-8  
    menu: V; 3-7  
    performance goal: V; 3-7  
    requirements: V; 2-8  
Basic treatment receiving waters: I; 2-14; V; 2-8  
Basin planning: III; 2-3  
    guidance for altering the minimum  
    requirements: App. I-D  
    Minimum Requirement #9: I; 2-26  
    modeling: III; 2-2  
    superseding minimum requirements: I; 1-13  
Best management practices (general)  
    construction: Volume II

    flow control: Volume III  
    low impact development: Volume VI  
    overview: I; 1-6  
    selection process (general): I; 4-1  
    source control: Volume IV  
    water quality treatment: Volume V  
Biofiltration (for treatment): V; 1-2  
Biofiltration swale: V; 8-1  
    design (general): V; 8-3  
    SBUH/WWHM adjustment ratio: V; 8-11  
    sizing: V; 8-5  
    vegetation: V; 8-19  
    Biofiltration swale: V; 8-1  
Bioinfiltration swale, wet (See *Wet biofiltration swale*)  
Bioinfiltration swale, continuous inflow (See *Continuous inflow biofiltration swale*)  
Bioretention (rain gardens)  
    application: VI; 3-8  
    design: VI; 3-10  
    infiltration rates: VI; 3-15,  
    modeling: VI; 3-18  
    plantings: VI; 3-16  
    separation from groundwater: VI; 3-8  
    setbacks: VI; 3-10  
    sizing: VI; 3-18  
    soil requirements: VI; 3-14  
    underdrain: VI; 3-11, 3-15  
    water quality treatment: VI; 3-10

Bollards: III; 3-12

Bonding: I; 2-28

**C**

Car washing (source control; See *Automobile washing*)  
Category A, minor waterbody: I; 2-19 / III; 3-1  
Category B, closed depression: I; 2-20 / III; 3-2  
Category C, public system: I; 2-21 / III; 3-4  
Category D, private system: I; 2-22 / III; 3-5  
Certified Erosion and Sediment Control Lead (CESCL): II;  
    3-56 / I; 3-21  
Channels (general): III; 4-27  
Chemical treatment of runoff: App. II-B / II; 3-121, 3-136,  
    3-140  
Cisterns (See *Rainfall reuse*)

Closed depression (See also Category B requirements): I;  
2-20 / III; 2-10, 3-3

Combined detention and wet pool facilities: V; 9-25

detention and wet pond: V; 9-25

detention and wet vault: V; 9-30

detention and wetland: V; 9-31

Community plans: I; 2-3

Compensatory flow control or treatment: I; 2-6

Concentrated flow dispersion: VI; 3-31

Construction design drawings: I; 3-22

cover sheet: I; 3-24

drawing protocol: I; 3-22, 3-26

grading sheets: I; 3-24

plan and profile sheets: I; 3-25

Construction entrance, stabilized: II; 3-7

Construction guarantee: I; 2-29

Construction stormwater pollution prevention plan (See  
*SWPPP*)

Construction BMPs: II; 3-1

Continuous inflow biofiltration swale: V; 8-26

Continuous simulation modeling (See *Hydrologic analysis  
methods, WWHM, and MGS Flood*)

Control structures III; 3-26

access: III; 3-28

analysis: III; 3-29

information plate: III; 3-28

maintenance: III; 3-28

multiple orifice: III; 3-27

riser and weir: III; 3-27

Conveyance system: III; 4-1

backwater analysis: III; 4-2

culverts: III; 4-25

design flow rate: III; 4-1, 4-2

easements: III; 4-3

flow spreading: III; 4-19

modeling: III; 2-2

open conveyance: III; 4-27

outfalls: III; 4-16

pipes: III; 4-5

private: III; 4-27

route design: III; 4-3, 4-9

stub-outs: III; 4-28

Culverts (design): III; 4-25

nomographs: App. III-B

Curb and gutter guidelines (in LID): VI; 2-28, 2-35

## D

Detailed method (infiltration design): III; 3-40

Deeds: I; 2-32

statutory warranty deed: I; 2-33

quitclaim deed: I; 2-33

Defect and maintenance guarantee: I; 2-30

Demonstrative approach (water quality): I; 1-10

Design year average daily traffic (applicability to runoff  
treatment): I; 2-13

Detention facilities: III; 3-6

combined with water quality (See *Combined  
detention and wet pool facilities*)

control structures III; 3-26

parking lots (detention in): III; 3-34

ponds: III; 3-6

roofs (ponding on): III; 3-34

tanks: III; 3-21

vaults: III; 3-23

Detention ponds: III; 3-6

access: III; 3-11

combined with water quality (See  
*Combined detention and wet pool facilities*)

control structures III; 3-26

dam safety: III; 3-6

design: III; 3-8

embankments: III; 3-9

emergency overflow: III; 3-6, 3-11

fencing: III; 3-14

maintenance: III; 3-20

overflow: III; 3-10

planting/landscaping: III; 3-16

setbacks: III; 3-15

side slopes: III; 3-8

signage: III; 3-15

Detention tanks: III; 3-21

access: III; 3-22

combined with water quality (See *Combined  
detention and wet pool facilities*)

control structures III; 3-26

design: III; 3-21

maintenance: III; 3-23

materials: III; 3-22

overflow: III; 3-22  
setbacks: III; 3-23  
Detention vaults: III; 3-23  
access: III; 3-25  
control structures III; 3-26  
design: III; 3-24  
maintenance: III; 3-26  
materials: III; 3-24  
overflow: III; 3-24  
setbacks: III; 3-26  
Downspout infiltration: VI; 3-21 / (small sites) App. I-A; A-12  
minimum requirement: I; 2-12  
See also *Infiltration trenches* and *Drywells*  
Downspout dispersion: App. I-A; A-14 / VI; 3-27  
minimum requirement: I; 2-12  
Drainage Control Plans: I; 3-3, 3-8  
components: I; 3-8  
contents: I; 3-9  
downstream analysis: I; 3-13  
drawings: I; 3-15  
infiltration rate report: I; 3-11  
flood plain analysis: I; 3-12  
Maintenance Plan: I; 3-18  
soils report: I; 3-11  
thresholds: I; 3-4  
Driveway runoff (single family): App. I-A; A-11  
Drywells: App. I-A; A-13 / VI; 3-27  
minimum requirement: I; 2-12

## E

Easements (conveying property to the County): I; 2-32  
storm sewer easement: I; 2-33  
slope and utility easement: I; 2-33  
Embankments (Pond): III; 3-9  
Emergency overflow capacity: III; 3-6  
Energy dissipation (See also *Outfalls*): III; 4-16  
Emerging technologies: V; 11-1, 1-4  
Enforcement: I; 1-10  
Engineered Abbreviated Plans: I; 3-7, App. I-A  
format and content: I; 3-26  
thresholds: I; 3-4  
Enhanced treatment: V; 2-7, 3-5

BMPs: V; 3-5  
exempt water bodies: V; 2-7  
menu: V; 3-5  
performance goal: V; 3-5  
requirements: V; 2-7  
treatment train: V; 3-7  
Equivalent areas (for flow control or treatment): See *Compensatory flow control or treatment*  
Erosion and Sediment Control Plan: I; 3-7  
components: I; 3-19  
drawings: I; 3-22  
erosion and sediment control report: I; 3-21  
thresholds: I; 3-4  
twelve elements of erosion control: I; 3-22  
Erosion and sediment control report (See *Erosion and Sediment Control Plan*)  
Erosion and sediment control BMPs: II; 3-1  
Exemptions: I; 2-2  
Extended precipitation time series: III; 2-3

## F

Financial liability (See also *Minimum Requirement #11*): I; 2-28  
Financial Guarantees: I; 2-28  
reclamation guarantee: I; 2-28  
construction guarantee: I; 2-29  
defect and maintenance guarantee: I; 2-30  
temporary driveway approach guarantee: I; 2-32  
Flood plain analysis: I; 3-12  
Flow charts (for Minimum Requirements): I; 2-4, 2-5  
Flow control: III; 3-1  
See also *Detention facilities* and *Infiltration facilities*  
criteria: III; 3-1  
design  
facilities: III; 3-6  
Minimum Requirement #7: I; 2-17  
modeling: III; 2-2  
Flow control discharge criteria: I; 2-19 / III; 3-1  
Category A, minor waterbody: I; 2-19 / III; 3-1  
Category B, closed depression: I; 2-20 / III; 3-2

Category C, public system: I; 2-21 / III; 3-4  
Category D, private system: I; 2-22 / III; 3-5  
Flow control exempt receiving waters: I; 2-17  
Flow splitters: III; 4-12  
Flow spreaders: III; 4-19  
    anchored plate: III; 4-20  
    interrupted curb: III; 4-21  
    notched curb: III; 4-21  
    sump: III; 4-20  
    through-curb ports: III; 4-21  
Freeboard (See design requirements for applicable facilities)

## G

Geotextile specifications: App. V-A  
Green roofs (See *Vegetated roofs*)  
Guide sheets (for wetland protection): App. I-C

## H

Horizontal control (See *Survey requirements*)  
Hydrologic analysis methods: III; 2-3  
    continuous simulation: III; 2-3  
    MGS Flood: III, 2-2  
    single event: III; 2-3, App. III-B  
    Western Washington Hydrology Model (WWHM): III; 2-6  
    wetland hydroperiod: I; 2-25 / App. I-C; C-3 / III; 2-5  
Hydrologic Simulation Program-Fortran (HSPF): III; 2-3  
Hydroperiod analysis (See *Wetland protection guidelines*)

## I

Impervious area assumptions (subdivisions): I; 2-6, 3-6 / App. I-A; A-2, A-16  
Infiltration basins: III; 3-46  
Infiltration facilities: III; 3-35  
    access: III; 3-42  
    basins: III; 3-46  
    construction: III; 3-43  
    design procedures (general): III; 3-35  
    detailed method: III; 3-40  
    infiltration rate testing: III; 3-39, App. III-A  
    maintenance: III; 3-45  
    methods of analysis: III; 3-37

    minimum site requirements: III; 3-36  
    near steep slopes: III; 3-45  
    presettling: III; 3-42  
    setbacks: III; 3-42  
    simple method: III; 3-38  
    single family residential: App. I-A; A-10  
    sizing: III; 3-41  
    trenches: III; 3-47 / VI; 3-21 / App. I-A; A-12  
    underground injection control: III; 3-50  
Infiltration rate testing: III; 3-39, App. III-A / App. I-A; A-11  
Infiltration rate reporting (See also *Drainage Control Plan*): I; 3-11  
Infiltration treatment: V; I-3, 6-1  
Infiltration trenches: III; 3-47 / VI; 3-21  
    for roof downspouts: App. I-A; A-12 / VI; 3-21  
    minimum requirement: I; 2-12  
    sample calculation (small sites): App. I-A; A-123  
    sizing table (small sites): App. I-A; A-19 / VI; 3-21  
    soils testing: App. I-A; A-11 / VI; 3-22  
Inlet protection: II; 3-91  
Integrated pest management (IPM): App. IV-B

## L

Level spreader: II; 3-62  
Liners (treatment): V; 4-4  
Low Impact Development (LID): VI  
    BMPs: VI; 3-1  
    BMP preference/selection: VI; 3-2  
    Community Plan requirements: VI; 1-3  
    covenants: VI; 4-2  
    curb and gutter guidelines: VI; 2-28, 2-35  
    deviations: VI; 1-3  
    hydrologic analysis: VI; 4-1  
    maintenance: VI; 3-3, 4-2  
    minimizing impacts during construction: VI; 2-17  
    parking (guidelines): VI; 2-31  
    parking lot design: VI; 2-33  
    performance goals: VI; 1-3

procedures (general): VI; 2-1  
reducing impervious area: VI; 2-20  
reforestation: VI; 2-16  
road design: VI; 2-20  
site design (general): VI; 2-3  
submittals: VI; 1-3  
vegetation retention: VI; 2-9

## M

Maintenance Plan (See also *Drainage Control Plan*): I; 3-18  
Materials (general): I; 2-34  
    embankments: III; 3-9  
    pipes: III; 4-6  
    detention tanks: III; 3-22  
    detention vaults: III; 3-24  
    flow splitters: III; 4-16  
MGS Flood: III; 2-2  
Minimal excavation foundations: VI; 3-5  
Minimizing impacts during construction: VI; 2-17  
Minimum computational standards: III; 2-2  
    basin planning: III; 2-3  
    conveyance system design: III; 2-2, 4-1  
    flow control design: III; 2-2  
    Pierce County extended precipitation time series: III; 2-3, 2-7  
    treatment design: III; 2-2  
Minimum Requirement #1 Preparation of stormwater site plans: I; 2-8  
Minimum Requirement #2 Construction stormwater pollution prevention: I; 2-9  
Minimum Requirement #3 Source control of pollution: I; 2-10  
Minimum Requirement #4 Preservation of natural drainage systems and outfalls: I; 2-11  
Minimum Requirement #5 Onsite stormwater management: I; 2-12  
Minimum Requirement #6 Runoff treatment: I; 2-13  
    applicability: I; 2-13  
    basic treatment receiving waters: I; 2-14  
    design flow rate: I; 2-15  
    design flow volume: I; 2-14  
    design year average daily traffic: I; 2-13  
    facility sizing: I; 2-14

infiltration (for runoff treatment): I; 2-16 / V; 2-5  
modeling: III; 2-2  
thresholds: I; 2-14  
Minimum Requirement #7 Flow control: I; 2-17  
    applicability: I; 2-17  
    flow control exempt receiving waters: I; 2-17  
    release rates: I; 2-19 through 2-24 / III; 3-1  
    thresholds: I; 2-18  
Minimum Requirement #8 Wetlands protection: I; 2-25  
    hydrologic analysis: I; 2-25 / App. I-C; C-3 / III; 2-5  
Minimum Requirement #9 Basin/watershed planning: I; 2-26  
Minimum Requirement #10 Operation and maintenance: I; 2-27  
Minimum Requirement #11 Financial liability: I; 2-28  
Minimum Requirements  
    overview: I; 2-1  
    exemptions: I; 2-2  
    Minimum Requirements #1-#10: I; 2-8 through 2-27  
    new development: I; 2-3  
    redevelopment: I; 2-6  
    roadway projects: I; 2-7  
Mulching, erosion control: II; 3-21  
Multiple orifice control structure: III; 3-27

## N

Narrow area filter strip: V; 8-30  
Natural buffers: I; 1-6  
New development (Minimum Requirements): I; 2-3  
Nomographs (for culvert design): App. III-B

## O

Oil/water separation: V; 10-1  
    API type: V; 10-7  
    baffle type: V; 10-7  
    BMPs: V; 3-2  
    coalescing plate: V; 10-9  
    County ownership: V; 3-2  
    design (general): V; 10-5  
    general: V; 1-3

menu: V; 3-2  
performance goals: V; 10-1  
requirements: V; 2-4  
Onsite stormwater management (See also *Minimum Requirement #5*): I; 2-12  
Operation and maintenance: App. I-B  
checklists: App. I-B; B-21  
maintenance agreement: App. I-B; B-1  
maintenance plan requirement: I; 3-18  
Outfalls: III; 4-16  
Outlet protection: II; 3-89

**P**

PAM (See *Polyacrylamide*)  
Parking lot design (in LID): VI; 2-33  
Penalties: I; 1-10  
Performance bonds (See *Bonding*)  
Permanent erosion control: I; 2-32 / II; 2-10, 3-13  
Permeable paving (See *Alternative paving surfaces*)  
Phosphorus treatment: V; 2-6, 3-3  
applicability: V; 3-3  
BMPs: V; 3-4  
menu: V; 3-3  
performance goal: V; 3-3  
requirements: V; 2-6  
Pipe slope drains: II; 3-76  
Pipe systems: III; 4-5  
analysis: III; 4-5  
catch basins and manholes: III; 4-10  
flow splitters: III; 4-12  
layout/route: III; 4-3, 4-9  
materials: III; 4-6  
outfalls: III; 4-16  
sizes: III; 4-6  
slope: III; 4-8  
velocity: III; 4-8  
Plans and Specifications: I; 3-26  
Polyacrylamide (PAM): II; 3-34  
Pollution generating impervious surfaces (PGIS): V; 4-2 /  
Glossary  
Porous paving (See *Alternative paving surfaces*)  
Pothole (See also Closed depression): III; 2-10, 3-3  
Precipitation time series: III; 2-3  
Predeveloped conditions

Category A, minor waterbody: I; 2-19 / III; 3-1  
Category B, closed depression: I; 2-20 / III; 3-2  
Category C, public system: I; 2-22 / III; 3-4  
Category D, private system: I; 2-23 / III; 3-5  
Preservation of natural drainage systems (See *Minimum Requirement #4*)  
Preservation of soil (See *Soil preservation*)  
Presettling basin: V; 5-2  
Presumptive approach (water quality): I; 1-10  
Pretreatment: V; 1-3, 5-1  
Private drainage systems: III; 4-27, 3-5  
discharge locations: III; 4-28  
stub-outs: III; 4-28  
Project approval: I; 3-1

**R**

Rain gardens (See *Bioretention*)  
Rainfall reuse: VI; 3-54  
Reclamation guarantee: I; 2-28  
Redevelopment (Minimum Requirements): I; 2-6  
Reforestation (in LID): VI; 2-16  
Retention (See *Infiltration*)  
Riser and weir control structures: III; 3-27  
Road design (in LID): VI; 2-20  
alternate paving surfaces: VI; 2-22, 3-47  
cross sections: VI; 2-22  
curb and gutter guidelines: VI; 2-28, 2-35  
parking: VI; 2-31  
Roadway projects: I; 2-7  
Roof runoff (See *Single family residential and Abbreviate Plans*)  
Runoff treatment (See *Treatment*)

**S**

Sand filter  
basin (basic and large): V; 7-15  
design (general): V; 7-12  
linear sand filter: V; 7-21  
performance goals: V; 7-1  
sizing: V; 7-12  
vault: V; 7-19  
Sediment trap: II; 3-112

- Sediment pond, temporary: II; 3-115
- Severability: I; 1-10
- Sheet flow dispersion: VI; 3-35
- Silt fence: II; 3-101
- Simple method (infiltration design): III; 3-38
- Single family residential: App. I-A
  - Abbreviated Plans: App. I-A; A-1
  - downspout infiltration: App. I-A; A-10
  - downspout dispersion: App. I-A; A-14
  - driveway runoff: App. I-A; A-11
  - drywells: App. I-A; A-13
  - erosion and sediment control: App. I-A; A-5
  - impervious area assumptions: I; 2-6, 3-6 / App. I-A; A-2, A-16
  - minimum requirements: App. I-A; A-1
  - soils evaluation: App. I-A; A-11
  - source control BMPs: IV; 3-1
  - stub-outs: App. I-A; A-9
  - submittal requirements: App. I-A; A-3
- Site design: I; 1-5
  - site planning and layout: I; 1-5
  - protect natural buffers: I; 1-6
- Site development permit (See *Submittal requirements*)
- Soil amendment: VI; 3-36
  - compost requirements: VI; 3-40
  - imported: VI; 3-39
  - in place: VI; 3-28
  - minimum requirement: I; 2-12
  - stockpiling: VI; 3-39
- Soil requirements, infiltration treatment: V; 6-2
- Soil preservation: VI; 3-4
- Source control (general): IV
  - BMPs, businesses and industrial: IV; 4-1, 5-1
  - exemptions: IV; 1-5
  - operational BMPs (general): IV; 1-4
  - phone numbers: IV; 7-1
  - regulations: IV; 6-1
  - requirements: IV; 4-1, 6-1 / I; 2-10
  - single family residential: IV; 3-1
  - street waste management: App. IV-C
  - structural BMPs (general): IV; 1-4
  - web sites: IV; 7-2
  - worksheet for businesses and industrial: IV; 2-1
- Stabilized construction entrance: II; 3-7
- Stormwater Pollution Prevention Plans, Construction (SWPPP)
  - 12 elements of: II; 1-3, 2-7
  - overview: II; 1-2, 2-1
  - procedure: II; 2-3
  - requirements: II; 2-1, 2-18 / I; 2-9
- Stormwater Site Plans (See also *Minimum Requirement #1*): I; 3-3
  - Drainage Control Plan (See *Drainage Control Plan*)
  - Erosion and Sediment Control Plan (See *Erosion and Sediment Control Plan*)
  - Engineered Abbreviated Plan (See *Engineered Abbreviated Plan*)
  - Abbreviated Plan (See *Abbreviated Plan*)
- Stormwater treatment wetlands: V; 9-19
  - combined with detention (See *Combined detention and wet pool facilities*)
  - design: V; 9-19
  - geometry: V; 9-20
  - lining: V; 9-21
  - planting: V; 9-22
  - setbacks: V; 9-22
  - sizing: V; 9-19
- Street waste management: App. IV-C
- Subdivisions (thresholds and Minimum Requirements): I; 2-6
- Submittal requirements (See also *Minimum Requirement #1*): I; 2-8, 3-1
  - Abbreviated Plan: I; 3-7, App. I-A
  - Drainage Control Plans: I; 3-3
  - Erosion and Sediment Control Plans: I; 3-7
  - Engineered Abbreviated Plans: I; 3-7
  - final approval: I; 3-2
  - preliminary approval: I; 3-1
  - procedures: I; 3-31
  - revisions: I; 3-32
  - single family residential: App. I-A
  - site development permit timeline: I; 3-3
  - thresholds: I; 3-4
- Survey requirements: I; 3-32

SWPPP (See *Stormwater Pollution Prevention Plans, Construction*)

## T

Temporary driveway approach guarantee: I; 2-32

Thresholds (See also *Minimum Requirements, New development, and/or Redevelopment*): I; 2-3, 2-6

Threshold discharge areas (TDAs): I; 4-2

Total maximum daily loads (TMDLs): I; 1-10, 2-16

Treatment (See also *Minimum Requirement #6*): Vol. V

basic treatment: V; 2-8, 3-7

BMP selection process: V; 2-1

County ownership: V; 2-3

emerging technologies: V; 11-1, 1-4

enhanced treatment: V; 2-7, 3-5

hydrologic design: V; 4-1

liners: V; 4-4

maintenance: V; 4-10 / App. I-B

menus: V; 3-1

methods/mechanisms: V; 1-2

Minimum Requirement #6: I; 2-13

oil control: V; 3-2

phosphorus control: V; 2-6, 3-3

sequence of facilities: V; 4-3

soil requirements: V; 6-2

Treatment train (enhanced treatment): V; 3-7

Treatment wetlands (See *Stormwater treatment wetlands*)

## U

Underdrains (See individual BMPs)

Underground injection control: I; 1-13 / III; 3-50

## V

Variances: I; 2-34

Vegetated open channel: VI; 3-44

Vegetated roofs: VI; 3-58

Vegetation protection (during construction): VI; 2-11

Vegetation retention (in LID): VI; 2-9

calculations: VI; 2-10

protection (during construction): VI; 2-11

standards: VI; 2-9

Vertical datum (See *Survey requirements*)

## W

Water quality design flow rate: I; 2-15 / V; 4-1

Water quality design storm volume: I; 2-14 / V; 4-1

Water quality standards (construction): II; 1-4

Water quality treatment (See *Treatment*)

Watershed planning (See *Basin planning*)

Western Washington Hydrology Model (WWHM): III; 2-6

land use data: III; 2-8

limitations: III; 2-6

precipitation assumptions: III; 2-7

Pierce County extended precipitation time

series: III; 2-3, 2-7

pan evaporation: III; 2-7

soil data: III; 2-8

vegetation data: III; 2-8

Wet biofiltration swale

general: V; 8-23

vegetation: V; 8-24

Wet pond: V; 9-2

combined with detention (See *Combined detention and wet pool facilities*)

design criteria: V; 9-3

geometry: V; 9-4

planting: V; 9-9

setbacks: V; 9-9

sizing: V; 9-3

Wet vault: V; 9-12

combined with detention (See *Combined detention and wet pool facilities*)

design criteria: V; 9-12

geometry/structure: V; 9-14

oil/water separation: V; 9-17

Wet pool (for treatment): V; 1-2, 9-1

Wetlands, for stormwater treatment (See *Stormwater treatment wetlands*)

Wetlands protection (See also *Minimum Requirement #8*): I; 2-25, App. I-C