

APPENDIX "I"

CHECKLIST OF THE INLAND FISHES OF WASHINGTON

(From INLAND FISHES OF WASHINGTON by *Richard Wydoski*, University Press, 1979)

COMMON NAME	SCIENTIFIC NAME	LOCATION	OCCURRENCE
Family Petromyzontidae (Lampreys)			
Western brook lamprey	<i>Lampetra richardsoni</i> Vladykov and Follett	Fresh-water	Widespread; common in Puget Sound; abundant in coastal drainage; occurs in OR
Family Salmonidae (Trouts)			
Sockeye salmon (kokanee)	<i>Oncorhynchus nerka</i> (Walbaum)	Anadromous and landlocked	Locally abundant in Puget Sound, coastal (Quinault), and (formerly) Columbia R. drainages; occurs in ID, OR
Mountain whitefish	<i>Prosopium williamsoni</i> (Girard)	Fresh-water	Widespread and abundant
Golden trout	<i>Salmo aguabonita</i> (Jordan)	Fresh-water	Restricted distribution; common in certain mountain lakes; occurs in ID, OR
Cutthroat trout	<i>Oncorhynchus clarki</i>	Anadromous and fresh-water	Widespread; abundant in numerous lakes and streams; occurs in ID, OR
Family Osmeridae (Smelts)			
Longfin smelt	<i>Spirinchus thaleichthys</i> (Ayres)	Anadromous and landlocked	Widespread; abundant in Puget Sound drainage and L. Washington occurs in OR
Family Umbridae, mudminnows, Olympic mudminnow	<i>Novumbra hubbsi</i> (Schultz)	Fresh-water	Found only in western Washington; locally abundant on Olympic Peninsula and in southern end of Puget Sound drainage
Carp	<i>Cyprinus carpio</i> (Linnaeus)	Fresh-water	Widespread and abundant; occurs in ID, OR
Peamouth	<i>Mylocheilus caurinus</i> (Richardson)	Fresh-water	Widespread; abundant in coastal, Puget Sound, and Columbia R. drainages; occurs in ID, OR

CHECKLIST OF THE INLAND FISHES OF WASHINGTON (Continued)

Northern squawfish	<i>Ptychocheilus organensis</i> (Richardson)	Fresh-water	Widespread and abundant; occurs in ID, OR
Longnose dace	<i>Rhinichthys cataractae</i> (Valenciennes)	Fresh-water	Widespread and abundant; occurs in ID, OR
Speckled dace	<i>Rhinichthys osculus</i> (Girard)	Fresh-water	Widespread and abundant; occurs in ID, OR
Redside shiner	<i>Richardsonius balteatus</i> (Richardson)	Fresh-water	Widespread and abundant; occurs in ID, OR
Family Ictaluridae (Freshwater catfishes)			
Brown bullhead	<i>Ictalurus nebulosus</i> (Lesueur)	Fresh-water	Widespread and abundant; occurs in ID, OR
Family Gadidae (Codfishes)			
Family Gasterosteidae (Sticklebacks)			
Family Centrarchidae (Sunfishes)			
Rock bass	<i>Ambloplites rupestris</i> (Rafinesque)	Fresh-water	Locally abundant in scattered lakes and streams
Pumpkinseed	<i>Lepomis gibbosus</i> (Linnaeus)	Fresh-water	Widespread and abundant; occurs in ID, OR
Warmouth*	<i>Lepomis gulosus</i> (Cuvier)	Fresh-water	Locally abundant in scattered lakes; occurs in ID, OR
Bluegill	<i>Lepomis macrochirus</i> (Rafinesque)	Fresh-water	Widespread and abundant in eastern Washington; occurs in ID, OR
Smallmouth bass	<i>Micropterus dolomieu</i> (Lacepede)	Fresh-water	Common in L. Washington and L. Sammamish, Columbia R. and Snake R.; occurs in ID, OR
Largemouth bass	<i>Micropterus salmoides</i> (Lacepede)	Fresh-water	Widespread and abundant; occurs in ID, OR

CHECKLIST OF THE INLAND FISHES OF WASHINGTON (Continued)

Black crappie*	<i>Pomoxis nigromaculatus</i> (Lesueur)	Fresh-water	Widespread and locally abundant; occurs in ID, OR
Yellow perch	<i>Perca flavescens</i> (Mitchill)	Fresh-water	Widespread and abundant; occurs in ID, OR
Family Embiotocidae, surfperches			
Shiner Perch	<i>Cymatogaster aggregata</i> (Gibbons)	Marine and occasionally fresh water	Widespread and abundant in coastal and Puget Sound drainages; occurs in OR
Family Pleuronectidae, righteye flounders			
Starry flounder	<i>Platichthys stellatus</i> (Pallas)	Marine, occasionally occurs in fresh water	Widespread and abundant in Columbia R., coastal, and Puget Sound drainages; occurs in OR
Coastrange sculpin	<i>Cottus aleuticus</i> (Gilbert)	Fresh-water	Widespread; abundant in coastal and Puget Sound drainages; occurs in OR
Prickly sculpin	<i>Cottus asper</i> (Richardson)	Fresh-water	Widespread; abundant in coastal and Puget Sound drainages; occurs in OR
Shorthead sculpin	<i>Cottus confusus</i> (Bailey and Bond)	Fresh-water	Widespread; abundant in scattered streams; occurs in OR
Riffle sculpin	<i>Cottus gulosus</i> (Girard)	Fresh-water	Widespread; abundant in coastal and Puget Sound drainages; occurs in OR
Reticulate sculpin	<i>Cottus perplexus</i> (Gilbert and Evermann)	Fresh-water	Widespread; abundant in coastal drainage; occurs in OR
Torrent sculpin	<i>Cottus rhotheus</i> (Smith)	Fresh-water	Widespread; abundant; occurs in ID, OR
Pacific staghorn sculpin	<i>Leptocottus armatus</i> (Girard)	Marine and occasionally fresh-water	Widespread; abundant in coastal and Puget Sound drainages; occurs in OR